## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (Canceled)
- 2. (Previously Presented) The method of claim 7, wherein the network access node is a repeater.
- 3. (Original) The method of claim 2, wherein the network access node is further part of an ad hoc network.
- 4. (Previously Presented) The method of claim 7, wherein the network access node is an access point.
- 5. (Original) The method of claim 4, wherein the data signal is received from a public telephone.
- 6. (Previously Presented) The method of claim 7, further comprising providing account debiting information to the accounting system, wherein the account debiting information represents a debit to be recorded for an account associated with the network user node.
- 7. (Currently Amended) A method of crediting an account of a network access node, comprising:

receiving a data signal wirelessly at the network access node;

forwarding the data signal wirelessly to a network user node; and

providing account crediting information to an accounting system, wherein the account crediting information represents a credit to be recorded for an account associated with the network access node;

providing second account crediting information to the accounting system, wherein the second account crediting information represents a second credit to be recorded to an account associated with the Internet service provider and the data signal is provided by an Internet service provider.

- 8. (Previously Presentded) The method of claim 7, wherein the network user node is a portable, handheld device having a display.
- 9. (Previously Presented) The method of claim 7, wherein the credit is based on the forwarded data signal.
- 10. (Original) The method of claim 9, wherein the credit is based on at least one of the time of day and airtime usage of the data signal.
- 11. (Original) The method of claim 9, wherein the credit is calculated on at least one of a per-packet basis and a flat rate basis.
- 12. (Previously Presented) The method of claim 7, wherein the step of forwarding includes transmitting the data signal using a wireless local area network (WLAN) protocol.
- 13. (Original) The method of claim 12, wherein the WLAN protocol is the IEEE 802.11 protocol.
  - 14. (Canceled)
- 15. (Previously Presented) The portable device of claim 17, wherein the portable device is configured to operate in an ad hoc network.
- 16. (Previously Presented) The portable device of claim 17, further comprising means for providing account debiting information to the accounting system, wherein the account debiting information represents a debit to be recorded for an account associated with the network user node.

17. (Previously Presented) A portable device configured as a repeater, comprising:
means for receiving a data signal wirelessly;
means for forwarding the data signal wirelessly to a network user node; and
means for providing account crediting information to an accounting system,
wherein the account crediting information represents a credit to be recorded for an account
associated with the portable device;

means for providing second account crediting information to the accounting system, wherein the data signal is provided by an Internet service provider, wherein the second account crediting information represents a second credit to be recorded to an account associated with an Internet service provider.

- 18. (Previously Presented) The portable device of claim 17, wherein the credit is based on the forwarded data signal.
- 19. (Original) The portable device of claim 18, wherein the credit is based on airtime usage of the data signal.
- 20. (Original) The portable device of claim 18, wherein the credit is calculated on a per-packet basis of the data signal.
- 21. (Previously Presented) The portable device of claim 17, wherein the means for forwarding includes a wireless local area network (WLAN) transmitter.
- 22. (Original) The portable device of claim 21, wherein the network user node is a portable device.

23-28. (Canceled)

29. (Currently Amended) An accounting method for crediting an account associated with a network access node, comprising:

receiving a communication event message, wherein the communication event message includes identification data representing a network access node, wherein the communication event message is received in response to the network access node <u>wirelessly</u> receiving and <u>wirelessly</u> forwarding a data signal on behalf of a network user node;

crediting an account associated with the network access node based on the communication event message; and

crediting an account associated with an Internet service provider, wherein the data signal is provided by the Internet service provider, wherein the communication event message includes second [third] identification data representing the Internet service provider.

- 30. (Previously Presented) The accounting method of claim 26, wherein the network access node receives and forwards the data signal via a wireless local area network (WLAN) protocol.
  - 31. (Canceled)
- 32. (Previously Presented) The method of claim 33, wherein the data signal is received from a public telephone.
- 33. (Currently Amended) A method of crediting an account associated with an access point, comprising:

receiving a data signal wirelessly at the access point;

forwarding the data signal wirelessly to a network user node using a wireless local area network (WLAN) communication standard; and

providing account crediting information to an accounting system, wherein the account crediting information represents a credit to be recorded for an account associated with the access point,

wherein the data signal is received from the Internet.

- 34. (Previously Presented) The method of claim 33, further comprising providing account debiting information to the accounting system, wherein the account debiting information represents a debit to be recorded for an account associated with the network user node.
  - 35. (Canceled)
- 36. (Previously Presented) The method of claim 33, wherein the network user node is a portable, handheld device having a display.
- 37. (Previously Presented) The method of claim 36, wherein the credit is based on the forwarded data signal.
- 38. (Previously Presented) The method of claim 36, wherein the credit is based on airtime usage of the data signal.
- 39. (Previously Presented) The method of claim 36, wherein the credit is calculated on a per-packet basis.
- 40. (Previously Presented) The method of claim 36, wherein the wireless local area network protocol is the IEEE 802.11 protocol.

## 41-42. (Canceled)

43. (Currently Amended) An access point, comprising:

a receive circuit configured to receive a data signal;

a transmit circuit configured to transmit the data signal over a wireless local area network (WLAN) to a network user node <u>via a network access node in wireless communication</u> with the network user node; and

an accounting circuit configured to provide account crediting information, wherein the account crediting information represents a credit to be recorded for an account associated with the access point,

wherein the receive circuit is coupled to a public switched telephone network; and the data signal is received from an Internet service provider.

- 44. (Original) The access point of claim 43, wherein the account crediting information represents a credit to be recorded for an account associated with the Internet service provider.
- 45. (Previously Presented) The access point of claim 43, wherein the wireless local area network operates according to the IEEE 802.11 standard.
- 46. (Previously Presented) The access point of claim 43, wherein the credit is based on the transmitted data signal.
- 47. (Previously Presented) The access point of claim 43, wherein the credit is based on airtime usage of the data signal.
- 48. (Previously Presented) The access point of claim 43, wherein the credit is calculated on a per-packet basis.
- 49. (Previously Presented) The access point of claim 43, wherein the accounting circuit is further configured to provide account debiting information, wherein the account

debiting information represents a debit to be recorded for an account associated with the network user node.

## 50-59. (Canceled)

- 60. (Previously Presented) The method of claim 65, wherein the network access node is a repeater.
- 61. (Original) The method of claim 60, wherein the network access node is further part of an ad hoc network.
- 62. (Previously Presented) The method of claim 65, wherein the network access node is an access point.
- 63. (Previously Presented) The method of claim 65, wherein the account information represents a credit to be recorded to the first person's account.
- 64. (Previously Presented) The method of claim 65, wherein the account information represents a debit to be recorded to the second person's account.

65. (Currently Amended) A method of adjusting at least one of an account of a first person associated with a network access node and an account of a second person associated with a network user node, comprising:

receiving a data signal <u>wirelessly</u> at the network access node; forwarding the data signal wirelessly to the network user node;

providing account adjustment information to an accounting system, wherein the account adjustment information represents at least one of a credit to be recorded to the first person's account and a debit to be recorded to the second person's account; and

providing second account information to the accounting system, wherein the second account information represents a second credit to be recorded to an account associated with the Internet service provider and the data signal is provided by an Internet service provider.

- 66. (Previously Presented) The method of claim 65, wherein the network user node is a portable, handheld device having a display.
- 67. (Previously Presented) The method of claim 65, wherein the credit is based on the forwarded data signal.
- 68. (Previously Presented) The method of claim 65, wherein the step of forwarding includes transmitting the data signal using a wireless local area network (WLAN) protocol.
- 69. (Original) The method of claim 68, wherein the WLAN protocol is the IEEE 802.11 protocol.